



# Mount Thorley Warkworth EPL Monitoring Data

Published 28 February 2022 FOR THE MONTH ENDING 31 January 2022

Name of Operation	Mount Thorley Coal Loader
Environment Protection Licence	24
Licensee	Mount Thorley Coal Loading Ltd
Premises	Mount Thorley Coal Loading Ltd Mount Thorley Road, Mount Thorley
EPL Link	Via Singleton NSW 2330 <a href="http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=89660&amp;SYS">http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=89660&amp;SYS</a> <u>UID=1&amp;LICID=24</u>
Name of Operation	Mount Thorley Operations
Environment Protection Licence	1976
Licensee	Mount Thorley Operations Pty Limited
Premises	Mount Thorley Operations Mount Thorley Road Mount Thorley NSW 2330
EPL Link	https://apps.epa.nsw.gov.au/prpoeoapp/ ViewPOEOLicence.aspx?DOCID=161559&S YSUID=1&LICID=1976
Name of Operation	Warkworth Coal Mine
Environment Protection Licence	1376
Licensee	Warkworth Mining Ltd
Premises	Warkworth Coal Mine Putty Road Mount Thorley NSW 2330
EPL Link	https://apps.epa.nsw.gov.au/prpoeoapp/ ViewPOEOLicence.aspx?DOCID=160262&S YSUID=1&LICID=1376

### 1 INTRODUCTION

This report provides a summary of environmental monitoring results for Mount Thorley Warkworth (MTW) in accordance with the requirements of the following Environment Protection Licences (EPL):

- EPL24 Mount Thorley Coal Loader (MTCL);
- EPL1376 Warkworth Mining Limited (WML); and
- EPL1976 Mount Thorley Operations (MTO).

This report includes all monitoring data collected in accordance with the above licences for the period 1 to 31 January 2022.

Monitoring in this report includes:

- Air quality monitoring;
- Surface water monitoring including mine water discharge and effluent quality; and
- Blast monitoring.

Monitoring locations are shown in Figure 1.

## 2 AIR QUALITY

In accordance with the requirements of Condition M2.2 of WML EPL 1376 and MTO EPL 1976, MTW maintains a network of five  $PM_{10}$  monitors.

Results of Particulates ( $PM_{10}$ ) monitoring are shown in **Table 1**. Results reported represent the 24hr average  $PM_{10}$ , derived from 10 minute  $PM_{10}$  values for the period midnight to midnight, for each calendar date during the reporting period. The last sampling date was 31 January 2022 and the data was obtained on 1 February 2022.

YANCOAL AUSTRALIA LTD PAGE 2 OF 14

TABLE 1: PARTICULATE MATTER < 10 µM MONITORING

		Monitoring			Monitoring Point		
Date	Unit of Measure	Frequency & Capture	Warkworth North (EPA ID # 9 - WML EPL 1376)	MTO Boundary (EPA ID # 13 - MTO EPL 1976)	Dragline Crossing (EPA ID # 10 - WML EPL 1376 & MTO EPL 1976)	Heavy Vehicle Bridge (EPA ID # 11 - WML EPL 1376 & MTO EPL 1976)	MTIE (EPA ID # 12 - WML EPL 1376 & EPA ID #19 - MTO EPL 1976)
1/01/2022	μg/m³		6.1	3.1	7.3	12.5	5.1
2/01/2022	μg/m³		4.9	4.4	13.8	18.1	5.9
3/01/2022	μg/m³		6.6	5.0	8.4	19.8	7.1
4/01/2022	μg/m³		6.8	5.4	9.3	12.3	8.0
5/01/2022	μg/m³		5.2	4.8	7.4	8.2	7.0
6/01/2022	μg/m³		4.9	5.0	7.6	13.3	6.9
7/01/2022	μg/m³		4.4	4.3	8.1	12.3	5.8
8/01/2022	μg/m³		#	3.7	9.0	5.7	5.1
9/01/2022	μg/m³		11.2	7.3	12.6	13.9	12.1
10/01/2022	μg/m³		19.8	13.9	21.0	20.7	17.8
11/01/2022	μg/m³		21.5	15.7	24.3	23.9	20.3
12/01/2022	μg/m³	Continuous	11.8	8.9	15.8	16.5	9.9
13/01/2022	μg/m³		9.1	6.3	10.8	13.4	9.5
14/01/2022	μg/m³		11.8	8.7	13.9	16.1	10.7
15/01/2022	μg/m³		7.9	5.9	17.8	10.3	10.2
16/01/2022	μg/m³	]	16.7	14.9	24.0	25.8	21.0
17/01/2022	μg/m³		28.0	21.6	34.2	31.9	30.3
18/01/2022	μg/m³	]	20.4	14.1	21.5	21.9	20.4
19/01/2022	μg/m³		6.2	#	7.1	7.3	6.7
20/01/2022	μg/m³		10.6	#	9.1	10.5	8.2
21/01/2022	μg/m³	]	10.6	5.3	9.1	16.6	7.0
22/01/2022	μg/m³	]	#	3.6	7.0	12.1	6.3
23/01/2022	μg/m³		5.6	3.3	7.1	7.9	4.8

YANCOAL AUSTRALIA LTD

PAGE 3 OF 14

		Monitoring					
Date	Unit of Measure	Frequency & Capture	Warkworth North (EPA ID # 9 - WML EPL 1376)	MTO Boundary (EPA ID # 13 - MTO EPL 1976)	Dragline Crossing (EPA ID # 10 - WML EPL 1376 & MTO EPL 1976)	Heavy Vehicle Bridge (EPA ID # 11 - WML EPL 1376 & MTO EPL 1976)	MTIE (EPA ID # 12 - WML EPL 1376 & EPA ID #19 - MTO EPL 1976)
24/01/2022	μg/m³		7.8	3.8	7.3	10.3	5.5
25/01/2022	μg/m³		10.3	5.7	10.9	15.0	8.3
26/01/2022	μg/m³		9.0	5.3	7.7	11.3	6.6
27/01/2022	μg/m³		8.6	3.7	5.7	7.7	5.1
28/01/2022	μg/m³		8.7	3.6	#	13.6	5.0
29/01/2022	μg/m³		9.9	4.7	#	7.9	6.1
30/01/2022	μg/m³		7.2	4.7	#	9.9	6.2
31/01/2022	μg/m³		8.5	5.0	#	8.5	7.0
			N	Nonthly Meaningful Data			
January	μg/m³	Minimum*	4.4	3.1	5.7	5.7	4.8
January	μg/m³	Mean*	10.4	7.0	12.5	14.2	9.6
January	μg/m³	Maximum*	28.0	21.6	34.2	31.9	30.3
January	μg/m³	Median*	8.9	5.1	9.1	12.9	7.0

<sup># 24</sup> hour data unavailable due to equipment or communications issue causing one or more missing 10 minute values

MTIE denotes Mount Thorley Industrial Estate

YANCOAL AUSTRALIA LTD PAGE 4 OF 14

<sup>\*</sup>Data calculated with missing 10 minute value(s) due to equipment or communication issue

### **3 SURFACE WATER**

# 3.1 Mine Water Discharge Monitoring

MTW participates in the Hunter River Salinity Trading Scheme (HRSTS) and maintains two monitoring locations associated with this scheme.

HRSTS discharges in the reporting period are shown in **Table 2**. Samples collected during the reporting period are shown in **Table 3**.

TABLE 2: MINE WATER DISCHARGE MONITORING - VOLUME AND MASS LIMITS

Monitoring Location	Unit of measure	Volume/mass Limit	No. of samples required by licence	No. of samples you collected and analysed	Lowest Sample Value	Mean of sample	Highest sample value	Median
Dam 1N Discharge / Point 1 (WML EPL 1376) Dam 1N Discharge Point	Megalitres per day	100	0	0	-	-	-	-
Dam 9S Discharge / EPL Point 4 (MTO EPL 1976) Discharge pipe from Dam 9S	Megalitres per day	100	12	12	3.85	14.93	28.15	11.45

Note: Reported discharge volume data is based on HRSTS 24-hour discharge block totals, at the relevant discharge point.

YANCOAL AUSTRALIA LTD
PAGE 5 OF 14

TABLE 3: MINE WATER DISCHARGE MONITORING- CONCENTRATION LIMITS

Discharge Point	Pollutant	Unit of measure	Licence limits	No. of samples required by licence	No. of samples you collected and analysed	Lowest Sample Value	Mean of sample	Highest sample value	Median
	Electrical Conductivity	microsiemens per centimetre	-	0	0	-	-	-	-
Dam 1N Discharge / Point 1 (WML EPL 1376)	рН	рН	6.5 - 9.5	0	0	-	-	-	-
Dam 1N Discharge Point	Total Suspended Solids	milligrams per litre	120	0	0	-	-	-	-
Dam 1N Discharge Turbidity  Monitoring / Point 25  (WML EPL 1376)  Continuous turbidity monitor	Turbidity	nephelometric turbidity units	-	0	0	-	-	-	-
David Of Disabases (FDI Daint 4	Electrical Conductivity	microsiemens per centimetre	-	Continuous	Continuous	4190	4363.3	4700	4315
Dam 9S Discharge / EPL Point 4 (MTO EPL 1976)	рН	рН	6.5 - 9.5	12	12	8.8	8.9	8.9	8.9
Discharge pipe from Dam 9	Total Suspended Solids	milligrams per litre	120	12	12	20.0	29.1	40.0	29.5

# 3.2 Water Quality Monitoring

MTW undertakes monitoring in accordance with Condition M2.3 of WML EPL 1376 and MTO EPL 1976 as detailed in **Table 4**. Monthly sampling occurred 12 January 2022 and the data was obtained 14 February 2022. Sampling is undertaken on a quarterly basis at WML (typically in March, June, September and December), and as such no sampling was required in January 2022.

YANCOAL AUSTRALIA LTD PAGE 6 OF 14

TABLE 4: WATER QUALITY MONITORING

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value
W5 – Loders Creek / EPL Point 3	Electrical Conductivity	microsiemens per centimetre	Once a month (min. of 4 weeks)	1	1	4900
(MTO EPL 1976) Coal preparation plant access road bridge	рН	pH units	Once a month (min. of 4 weeks)	1	1	8.5
	Total Suspended Solids	milligrams per litre	Once a month (min. of 4 weeks)	1	1	28
W1 – Hunter River / EPL Point 26	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
W2 – Hunter River / EPL Point 27	Electrical Conductivity	microsiemens per Once a quarter		0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
W3 – Hunter River / EPL Point 28	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	1
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
W5 – Loders Creek / EPL Point 29	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
WW5 – Dights Creek / EPL Point 30 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-

YANCOAL AUSTRALIA LTD
PAGE 7 OF 14

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value
	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
SW40 – Wollombi Brook Downstream / EPL Point 31	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids milligrams per litre Once a		Once a quarter	0	0	-
Wollombi Brook / EPL Point 32	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	=
Wollombi Brook Upstream / EPL Point 33	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-

<sup># -</sup> Sample unable to be collected due to insufficient water or unsafe access

YANCOAL AUSTRALIA LTD
PAGE 8 OF 14

# 3.3 Effluent Quality Monitoring

Monitoring is undertaken in accordance with Condition M2.3 of WML EPL 1376 and MTO EPL 1976 as detailed in **Table 5**. Sampling is undertaken on a quarterly basis and as such no sampling was required in January 2022.

**TABLE 5: EFFLUENT QUALITY MONITORING** 

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value
North Pit North Crib Hut Envirocycle / EPL Point 14	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
Main Warkworth Staging Pond / EPL Point 15	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
Warkworth Admin Envirocycle / EPL Point 16	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
West Pit South Crib Hut Envirocycle / EPL Point 17	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
Warkworth Medical Centre Envirocycle / EPL Point 18	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
Dam 15 / EPL Point 18			Once a quarter	0	0	-
(MTO EPL 1976)	рН	pH units	Once a quarter	0	0	-

YANCOAL AUSTRALIA LTD
PAGE 9 OF 14

# 4 BLAST MONITORING

In accordance with the requirements of Conditions M7.1 (WML EPL 1376) and M8.1 (MTO EPL 1976), MTW maintains a network of blast monitors to measure airblast overpressure and ground vibration for all blasts carried out at MTW. Blast monitoring results are detailed in **Table 6** (Airblast Overpressure) and **Table 7** (Ground Vibration). The last date sampled was on 31 January 2022. The data was obtained on 1 February 2022.

TABLE 6: BLAST MONITORING (AIRBLAST OVERPRESSURE)

				EPL L	imits			Monitoring Poin	t	
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
n38-bfb-h-co5	4/01/2022 12:28	dB(L)		115	120	96.1	97.1	107.4	93.6	103.7
n41-blf-co-ptg	5/01/2022 12:27	dB(L)		115	120	88.2	85.6	95.9	85.2	79.8
n41-whf-pr4	6/01/2022 12:47	dB(L)		115	120	107.4	101.3	112.8	101.2	109.2
n47-wbd-ps1c	6/01/2022 12:49	dB(L)		115	120	103.7	100.2	104.5	97.3	100.9
w42-rcd-ps1d	7/01/2022 12:28	dB(L)	All Blasts 100%	115	120	101.9	95.3	101.3	92.5	97.4
w42-rcd-pr1	12/01/2022 11:08	dB(L)		115	120	98.4	100.5	97.6	106.5	92.3
n41-gmb-ps3b	13/01/2022 12:21	dB(L)		115	120	95.3	95.0	92.0	89.6	95.8
w42-rcd-pr3 & w46-wyc-pr2a	14/01/2022 12:03	dB(L)		115	120	118.0	110.4	98.3	103.2	111.1
w42-rcd-pr4	19/01/2022 12:53	dB(L)		115	120	100.2	108.4	109.1	104.7	98.7

YANCOAL AUSTRALIA LTD
PAGE 10 OF 14

				EPL Li	imits			Monitoring Poin	t	
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
n41-whf-pr5	21/01/2022 12:31	dB(L)		115	120	101.5	102.3	110.2	99.9	105.6
n47-wbd-ps1d	21/01/2022 12:31	dB(L)		115	120	105.7	112.5	105.2	103.7	110.5
n38-wwa-ptg4	24/01/2022 12:39	dB(L)		115	120	95.0	92.6	94.8	100.0	88.9
w46-wyc-pr2b	25/01/2022 12:24	dB(L)		115	120	101.2	99.4	90.5	94.4	96.8
n38-wwa-ptg5	27/01/2022 12:47	dB(L)		115	120	95.6	102.2	94.2	97.3	100.4
w42-rcd-pr5	28/01/2022 12:06	dB(L)		115	120	105.0	114.7	91.2	98.5	99.9
w34-bfa-ps1e	29/01/2022 11:40	dB(L)		115	120	95.1	92.7	97.7	88.8	86.0
w34-whe-j-co	31/01/2022 12:19	dB(L)		115	120	101.4	91.0	99.2	93.4	99.2
				Monthly	Meaningful I	Data				
Minimum	January	dB(L)		115	120	88.2	85.6	90.5	85.2	79.8
Mean	January	dB(L)		115	120	100.6	100.1	100.1	97.0	98.6
Maximum	January	dB(L)		115	120	118.0	114.7	112.8	106.5	111.1
Median	January	dB(L)		115	120	101.2	100.2	98.3	97.3	99.2

YANCOAL AUSTRALIA LTD
PAGE 11 OF 14

TABLE 7: BLAST MONITORING (GROUND VIBRATION)

				EPL L	imits			Monitoring Poin	it	
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
n38-bfb-h-co5	4/01/2022 12:28	mm/s		5	10	0.03	0.04	0.03	0.21	0.03
n41-blf-co-ptg	5/01/2022 12:27	mm/s		5	10	0.02	0.01	0.03	0.26	0.01
n41-whf-pr4	6/01/2022 12:47	mm/s		5	10	0.22	0.27	0.05	0.37	0.26
n47-wbd-ps1c	6/01/2022 12:49	mm/s		5	10	0.5	0.65	0.15	1.15	0.52
w42-rcd-ps1d	7/01/2022 12:28	mm/s		5	10	0.95	0.63	0.06	1.10	0.90
w42-rcd-pr1	12/01/2022 11:08	mm/s	All Blasts	5	10	0.77	0.84	0.11	0.64	0.76
n41-gmb-ps3b	13/01/2022 12:21	mm/s	100%	5	10	0.42	0.9	0.12	2.26	0.56
w42-rcd-pr3 & w46-wyc-pr2a	14/01/2022 12:03	mm/s		5	10	1.23	1.73	0.15	0.79	1.00
w42-rcd-pr4	25/01/2022 12:24	mm/s		5	10	2.22	1.41	0.14	1.18	1.77
n41-whf-pr5	27/01/2022 12:47	mm/s		5	10	0.23	0.21	0.03	0.25	0.12
n47-wbd-ps1d	28/01/2022 12:06	mm/s		5	10	0.45	0.49	0.12	0.61	0.45
n38-wwa-ptg4	29/01/2022 11:40	mm/s		5	10	0.06	0.19	0.03	0.78	0.06

YANCOAL AUSTRALIA LTD
PAGE 12 OF 14

				EPL L	mits	Monitoring Point					
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)	
w46-wyc-pr2b	31/01/2022 12:19	mm/s		5	10	0.27	0.15	0.03	0.70	0.32	
n38-wwa-ptg5	25/01/2022 12:24	mm/s		5	10	0.07	0.14	0.02	0.27	0.07	
w42-rcd-pr5	27/01/2022 12:47	mm/s		5	10	1.58	1.69	0.15	0.69	0.93	
w34-bfa-ps1e	28/01/2022 12:06	mm/s		5	10	1.12	0.99	0.18	0.69	1.46	
w34-whe-j-co	29/01/2022 11:40	mm/s		5	10	0.08	0.08	0.03	0.13	0.08	
				Monthly	Meaningful I	Data					
Minimum	January	mm/s		5	10	0.02	0.01	0.02	0.13	0.01	
Mean	January	mm/s		5	10	0.60	0.61	0.08	0.71	0.55	
Maximum	January	mm/s		5	10	2.22	1.73	0.18	2.26	1.77	
Median	January	mm/s		5	10	0.42	0.49	0.06	0.69	0.45	

YANCOAL AUSTRALIA LTD
PAGE 13 OF 14




Figure 1: Mount Thorley Warkworth Environmental Monitoring Locations

YANCOAL AUSTRALIA LTD PAGE 14 OF 14