



Mount Thorley Warkworth EPL Monitoring Data

Published 30 April 2025 FOR THE MONTH ENDING 31 March 2025

Name of Operation	Mount Thorley Coal Loader
Environment Protection Licence	24
Licensee	Mount Thorley Coal Loading Ltd
Premises	Mount Thorley Coal Loading Ltd Mount Thorley Road, Mount Thorley Via Singleton NSW 2330
EPL Link	http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=89660&SYSUID=1&LICID=24
Name of Operation	Mount Thorley Operations
Environment Protection Licence	1976
Licensee	Mount Thorley Operations Pty Limited
Premises	Mount Thorley Operations Mount Thorley Road Mount Thorley NSW 2330
EPL Link	https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=295258&SYSUID=1&LICID=1976
Name of Operation	Warkworth Coal Mine
Environment Protection Licence	1376
Licensee	Warkworth Mining Ltd
Premises	Warkworth Coal Mine Putty Road Mount Thorley NSW 2330
EPL Link	https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=226613&SYSUID=1&LICID=1376

1 INTRODUCTION

This report provides a summary of environmental monitoring results for Mount Thorley Warkworth (MTW) in accordance with the requirements of the following Environment Protection Licences (EPL):

- EPL24 Mount Thorley Coal Loader (MTCL);
- EPL1376 Warkworth Mining Limited (WML); and
- EPL1976 Mount Thorley Operations (MTO).

This report includes all monitoring data collected in accordance with the above licences for the period 1 to 31 March 2025.

Monitoring in this report includes:

- Air quality monitoring;
- Surface water monitoring including mine water discharge and effluent quality; and
- Blast monitoring.

Monitoring locations are shown in **Figure 1**.

2 AIR QUALITY

In accordance with the requirements of Condition M2.2 of WML EPL 1376 and MTO EPL 1976, MTW maintains a network of five PM₁₀ monitors.

Results of Particulates (PM_{10}) monitoring are shown in **Table 1**. Results reported represent the 24hr average PM_{10} , derived from 10 minute PM_{10} values for the period midnight to midnight, for each calendar date during the reporting period. The last sampling date was 31 March 2025 and the data was obtained on 1 April 2025.

YANCOAL AUSTRALIA LTD PAGE 2 OF 15

TABLE 1: PARTICULATE MATTER < 10 µM MONITORING

		Monitoring			Monitoring Point		
Date	Unit of Measure	Frequency & Capture	Warkworth North (EPA ID # 9 - WML EPL 1376)	MTO Boundary (EPA ID # 13 - MTO EPL 1976)	Dragline Crossing (EPA ID # 10 - WML EPL 1376 & MTO EPL 1976)	Heavy Vehicle Bridge (EPA ID # 11 - WML EPL 1376 & MTO EPL 1976)	MTIE (EPA ID # 12 - WML EPL 1376 & EPA ID #19 - MTO EPL 1976)
1/03/2025	μg/m³		19.1	33.9	26.1	32.9	27.1
2/03/2025	μg/m³		11.8	23.2	20.9	18.8	14.1
3/03/2025	μg/m³		7.7	11.7	9.7	11.8	8.9
4/03/2025	μg/m³		6.5	9.1	7.7	9.8	6.5
5/03/2025	μg/m³		4.6	6.6	6.2	7.8	4.7
6/03/2025	μg/m³		7.4	9.2	6.9	10.0	6.3
7/03/2025	μg/m³	1	5.7	5.7	4.5	6.7	4.3
8/03/2025	μg/m³	1	3.8	4.4	3.2	5.1	2.9
9/03/2025	μg/m³	1	3.0	5.4	5.3	6.4	3.4
10/03/2025	μg/m³	1	2.6	2.8	3.4	3.7	1.9
11/03/2025	μg/m³		4.7	5.0	5.9	4.9	3.2
12/03/2025	μg/m³	Continuous	5.4	5.9	8.1	6.2	3.8
13/03/2025	μg/m³		10.0	11.3	20.3	15.7	10.4
14/03/2025	μg/m³		9.2	15.9	30.1	20.7	12.4
15/03/2025	μg/m³		9.9	18.9	31.1	17.4	14.6
16/03/2025	μg/m³	1	5.3	11.8	29.9	9.9	7.8
17/03/2025	μg/m³		3.6	7.3	12.2	9.6	5.7
18/03/2025	μg/m³]	3.1	5.2	7.1	6.4	3.6
19/03/2025	μg/m³]	4.5	5.0	8.7	6.1	3.6
20/03/2025	μg/m³	1	4.7	8.2	17.9	9.8	5.7
21/03/2025	μg/m³	1	5.8	12.3	27.7	16.5	10.1
22/03/2025	μg/m³]	12.6	15.9	18.1	17.3	11.2
23/03/2025	μg/m³	1	8.8	9.4	11.3	11.5	7.4

YANCOAL AUSTRALIA LTD
PAGE 3 OF 15

		Monitoring			Monitoring Point		
Date	Unit of Measure	Frequency & Capture	Warkworth North (EPA ID # 9 - WML EPL 1376)	MTO Boundary (EPA ID # 13 - MTO EPL 1976)	Dragline Crossing (EPA ID # 10 - WML EPL 1376 & MTO EPL 1976)	Heavy Vehicle Bridge (EPA ID # 11 - WML EPL 1376 & MTO EPL 1976)	MTIE (EPA ID # 12 - WML EPL 1376 & EPA ID #19 - MTO EPL 1976)
24/03/2025	μg/m³		8.4	10.9	12.9	11.5	7.9
25/03/2025	μg/m³		8.8	11.4	12.1	12.0	8.9
26/03/2025	μg/m³		3.7	4.5	7.3	7.1	3.6
27/03/2025	μg/m³		5.3	6.8	9.7	8.7	6.1
28/03/2025	μg/m³		2.6	#	7.1	6.2	2.9
29/03/2025	μg/m³		4.4	3.1	11.1	6.4	3.2
30/03/2025	μg/m³		1.5	3.9	14.0	7.6	3.6
31/03/2025	μg/m³		1.5	1.1	4.4	2.0	1.3
			N	Nonthly Meaningful Data			
March	μg/m³	Minimum*	1.5	1.1	3.2	2.0	1.3
March	μg/m³	Mean*	6.3	9.5	12.9	10.5	7.0
March	μg/m³	Maximum*	19.1	33.9	31.1	32.9	27.1
March	μg/m³	Median*	5.3	7.7	9.7	9.6	5.7

^{# 24} hour data unavailable due to equipment or communications issue causing one or more missing 10 minute values

MTIE denotes Mount Thorley Industrial Estate

YANCOAL AUSTRALIA LTD PAGE 4 OF 15

^{*}Data calculated with missing 10 minute value(s) due to equipment or communication issue

3 SURFACE WATER

3.1 Mine Water Discharge Monitoring

MTW participates in the Hunter River Salinity Trading Scheme (HRSTS) and maintains two monitoring locations associated with this scheme.

MTW did not undertake any HRSTS discharges in the reporting period as shown in **Table 2**. As such, no samples were collected during the reporting period as shown in **Table 3**.

TABLE 2: MINE WATER DISCHARGE MONITORING - VOLUME AND MASS LIMITS

Monitoring Location	Unit of measure	Volume/mass Limit	No. of samples required by licence	No. of samples you collected and analysed	Lowest Sample Value	Mean of sample	Highest sample value	Median
Dam 1N Discharge / Point 1 (WML EPL 1376) Dam 1N Discharge Point	Megalitres per day	100	0	0	-	-	-	-
Dam 9S Discharge / EPL Point 4 (MTO EPL 1976) Discharge pipe from Dam 9S	Megalitres per day	100	0	0	-	-	-	-

YANCOAL AUSTRALIA LTD

PAGE 5 OF 15

TABLE 3: MINE WATER DISCHARGE MONITORING- CONCENTRATION LIMITS

Discharge Point	Pollutant	Unit of measure	Licence limits	No. of samples required by licence	No. of samples you collected and analysed	Lowest Sample Value	Mean of sample	Highest sample value	Median
	Electrical Conductivity	microsiemens per centimetre	-	0	0	-	-	-	-
Dam 1N Discharge / Point 1 (WML EPL 1376)	pН	pH	6.5 - 9.5	0	0	-	-	-	-
Dam 1N Discharge Point	Total Suspended Solids	milligrams per litre	120	0	0	-	-	-	-
Dam 1N Discharge Turbidity Monitoring / Point 25 (WML EPL 1376) Continuous turbidity monitor	Turbidity	nephelometric turbidity units	-	0	0	-	-	-	-
Dave Of Disabages / FDI Daint 4	Electrical Conductivity	microsiemens per centimetre	-	0	0	-	-	-	-
Dam 9S Discharge / EPL Point 4 (MTO EPL 1976)	рН	рН	6.5 - 9.5	0	0	-	-	-	-
Discharge pipe from Dam 9	Total Suspended Solids	milligrams per litre	120	0	0	-	-	-	-

YANCOAL AUSTRALIA LTD
PAGE 6 OF 15

3.2 Water Quality Monitoring

MTW undertakes monitoring in accordance with Condition M2.3 of WML EPL 1376 and MTO EPL 1976 as detailed in **Table 4**. Monthly sampling occurred on 13 and 27 March 2025 and the data was obtained 16 April 2025. Next quarterly sampling will occur in June 2025.

TABLE 4: WATER QUALITY MONITORING

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value(s)
W5 – Loders Creek / EPL Point 3	Electrical Conductivity	microsiemens per centimetre	Once a month (min. of 4 weeks)	1	1	8490
(MTO EPL 1976) Coal preparation plant access road bridge	рН	pH units	Once a month (min. of 4 weeks)	1	1	7.8
	Total Suspended Solids	milligrams per litre	Once a month (min. of 4 weeks)	1	1	12
W1 – Hunter River / EPL Point 26	Electrical Conductivity	microsiemens per centimetre	Once a quarter	1	1	772
(WML EPL 1376)	рН	pH units	Once a quarter	1	1	8.2
	Total Suspended Solids	milligrams per litre	Once a quarter	1	1	35
W2 – Hunter River / EPL Point 27	Electrical Conductivity	microsiemens per centimetre	Once a quarter	1	1	1586
(WML EPL 1376)	рН	pH units	Once a quarter	1	1	7.7
	Total Suspended Solids	milligrams per litre	Once a quarter	1	1	54
W3 – Hunter River / EPL Point 28	Electrical Conductivity	microsiemens per centimetre	Once a quarter	1	1	767
(WML EPL 1376)	рН	pH units	Once a quarter	1	1	8.2
	Total Suspended Solids	milligrams per litre	Once a quarter	1	1	38

YANCOAL AUSTRALIA LTD PAGE 7 OF 15

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value(s)
W5 – Loders Creek / EPL Point 29 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	1	1	8490
	рН	pH units	Once a quarter	1	1	7.8
	Total Suspended Solids	milligrams per litre	Once a quarter	1	1	12
WW5 – Dights Creek / EPL Point 30	Electrical Conductivity	microsiemens per centimetre	Once a quarter	1	0	#
(WML EPL 1376)	рН	pH units	Once a quarter	1	0	#
	Total Suspended Solids	milligrams per litre	Once a quarter	1	0	#
SW40 – Wollombi Brook Downstream / EPL Point 31	Electrical Conductivity	microsiemens per centimetre	Once a quarter	1	1	812
(WML EPL 1376)	рН	pH units	Once a quarter	1	1	7.3
	Total Suspended Solids	milligrams per litre	Once a quarter	1	1	<5
Wollombi Brook / EPL Point 32	Electrical Conductivity	microsiemens per centimetre	Once a quarter	1	1	687
(WML EPL 1376)	рН	pH units	Once a quarter	1	1	7.3
	Total Suspended Solids	milligrams per litre	Once a quarter	1	1	<5
Wollombi Brook Upstream / EPL Point 33	Electrical Conductivity	microsiemens per centimetre	Once a quarter	1	1	624
(WML EPL 1376)	рН	pH units	Once a quarter	1	1	7.4
	Total Suspended Solids	milligrams per litre	Once a quarter	1	1	<5

^{# -} Sample unable to be collected due to insufficient water or unsafe access

YANCOAL AUSTRALIA LTD
PAGE 8 OF 15

3.3 Effluent Quality Monitoring

Monitoring is undertaken in accordance with Condition M2.3 of WML EPL 1376 and MTO EPL 1976 as detailed in **Table 5**. Next quarterly sampling will occur in June 2025.

TABLE 5: EFFLUENT QUALITY MONITORING

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value
North Pit North Crib Hut Envirocycle / EPL Point 14	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	1	1	<1000
(WML EPL 1376)	рН	pH units	Once a quarter	1	1	7.1
Main Warkworth Staging Pond / EPL Point 15	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	1	1	~2000
(WML EPL 1376)	рН	pH units	Once a quarter	1	1	9.1
Warkworth Admin Envirocycle / EPL Point 16	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	1	1	~1600000
(WML EPL 1376)	рН	pH units	Once a quarter	1	1	7.0
West Pit South Crib Hut Envirocycle / EPL Point 17	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	1	1	<100
(WML EPL 1376)	рН	pH units	Once a quarter	1	1	4.4
Warkworth Medical Centre Envirocycle / EPL Point 18	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	1	0	#
(WML EPL 1376)	рН	pH units	Once a quarter	1	0	#
Dam 1S / EPL Point 18	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	1	1	~500
(MTO EPL 1976)	рН	pH units	Once a quarter	1	1	9.3
WML - Workshop STP	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	1	1	170
	рН	pH units	Once a quarter	1	1	7.4

Sample not collected as effluent now diverted from this point to the "WML - Workshop STP" for treatment (since 28 November 2023).

YANCOAL AUSTRALIA LTD
PAGE 9 OF 15

4 BLAST MONITORING

In accordance with the requirements of Conditions M7.1 (WML EPL 1376) and M8.1 (MTO EPL 1976), MTW maintains a network of blast monitors to measure airblast overpressure and ground vibration for all blasts carried out at MTW. Blast monitoring results are detailed in **Table 6** (Airblast Overpressure) and **Table 7** (Ground Vibration). The last date sampled was on 29 March 2025. The data was obtained on 30 March 2025.

YANCOAL AUSTRALIA LTD
PAGE 10 OF 15

TABLE 6: BLAST MONITORING (AIRBLAST OVERPRESSURE)

				EPL I	.imits			Monitoring Poin	t	
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
n49-wba-pr3 & n51-rcc- pr1	3/03/2025 12:27	dB(L)		115	120	107.0	108.4	102.6	107.8	108.8
w36-wwe-ps1d	4/03/2025 11:58	dB(L)		115	120	83.2	96.1	90.3	81.4	97.8
n43-bfb-md1	5/03/2025 13:14	dB(L)		115	120	101.6	101.5	102.6	116.7	109.0
w38-gmd-ptg1	7/03/2025 10:52	dB(L)		115	120	94.7	100.7	101.0	100.0	95.9
w38-gmd-ptg2	10/03/2025 11:55	dB(L)		115	120	97.6	96.2	97.8	92.5	98.4
w38-gmb-ptg3	13/03/2025 9:12	dB(L)		115	120	89.8	87.7	89.3	98.2	90.7
w45-wnb-pr3	13/03/2025 9:12	dB(L)	All Blasts 100%	115	120	103.7	106.4	98.9	98.2	105.8
w41-whe-ptg1	17/03/2025 13:17	dB(L)	100%	115	120	97.1	103.5	100.7	107.8	95.7
n43-bfb-ps1c	17/03/2025 13:18	dB(L)		115	120	88.0	100.2	100.1	92.0	84.3
n49-wba-pr4 & n49- wbd-ps1b & n51-rcc- pr2	20/03/2025 13:55	dB(L)		115	120	103.2	112.0	104.9	97.5	104.6
w38-gmd-whc-co1	21/03/2025 12:09	dB(L)		115	120	102.3	99.9	107.8	97.6	102.9
w39-bfa-ps1b	22/03/2025 12:40	dB(L)		115	120	88.5	90.5	87.2	84.0	86.2
w48-rcc-pr1 & w48-rcd- ps1b	24/03/2025 12:43	dB(L)		115	120	105.4	106.6	97.5	98.2	104.1

YANCOAL AUSTRALIA LTD
PAGE 11 OF 15

				EPL I	imits.			Monitoring Poin	t	
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
w38-whe-ps1a & w38- gmd-whc-co2	25/03/2025 12:47	dB(L)		115	120	92.1	90.1	90.1	87.7	89.7
n43-bfb-md2 & n43- bfb-ps1d	27/03/2025 11:57	dB(L)		115	120	101.2	106.0	104.7	107.0	106.4
w35-wwf-k-co1 & w38- whe-ps1b	28/03/2025 13:13	dB(L)		115	120	105.1	98.6	109.2	87.7	98.1
w36-wwe-md2	29/03/2025 11:14	dB(L)		115	120	100.4	102.0	100.2	99.6	99.4
				Monthly N	Meaningful [Data				
Minimum	March	dB(L)		115	120	83.2	87.7	87.2	81.4	84.3
Mean	March	dB(L)		115	120	97.7	100.4	99.1	97.3	98.7
Maximum	March	dB(L)		115	120	107.0	112.0	109.2	116.7	109.0
Median	March	dB(L)		115	120	100.4	100.7	100.2	98.2	98.4

YANCOAL AUSTRALIA LTD
PAGE 12 OF 15

TABLE 7: BLAST MONITORING (GROUND VIBRATION)

				EPL L	imits			Monitoring Poin	t	
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
n49-wba-pr3 & n51- rcc-pr1	3/03/2025 12:27	mm/s		5	10	1.98	2.17	0.23	0.87	1.07
w36-wwe-ps1d	4/03/2025 11:58	mm/s		5	10	1.64	0.76	0.19	0.93	1.59
n43-bfb-md1	5/03/2025 13:14	mm/s		5	10	1.92	3.53	0.43	2.06	2.30
w38-gmd-ptg1	7/03/2025 10:52	mm/s		5	10	0.04	0.30	0.02	0.14	0.03
w38-gmd-ptg2	10/03/2025 11:55	mm/s		5	10	0.15	0.11	0.02	0.08	0.06
w38-gmb-ptg3	13/03/2025 9:12	mm/s		5	10	0.65	0.65	0.08	0.48	0.71
w45-wnb-pr3	13/03/2025 9:12	mm/s	All Blasts 100%	5	10	0.65	0.65	0.08	0.48	0.71
w41-whe-ptg1	17/03/2025 13:17	mm/s	100%	5	10	1.50	1.44	0.22	1.61	1.23
n43-bfb-ps1c	17/03/2025 13:18	mm/s		5	10	1.50	1.44	0.22	1.61	1.23
n49-wba-pr4 & n49- wbd-ps1b & n51-rcc- pr2	20/03/2025 13:55	mm/s		5	10	1.09	1.00	0.20	0.63	0.83
w38-gmd-whc-co1	21/03/2025 12:09	mm/s		5	10	0.09	0.05	0.03	0.07	0.10
w39-bfa-ps1b	22/03/2025 12:40	mm/s		5	10	0.44	0.66	0.14	1.25	0.60
w48-rcc-pr1 & w48- rcd-ps1b	24/03/2025 12:43	mm/s		5	10	3.78	2.22	0.21	1.11	3.07

YANCOAL AUSTRALIA LTD
PAGE 13 OF 15

				EPL L	imits			Monitoring Poin	t	
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
w38-whe-ps1a & w38-gmd-whc-co2	25/03/2025 12:47	mm/s		5	10	1.07	0.55	0.08	0.22	0.71
n43-bfb-md2 & n43- bfb-ps1d	27/03/2025 11:57	mm/s		5	10	3.16	2.66	0.27	2.62	1.87
w35-wwf-k-co1 & w38-whe-ps1b	28/03/2025 13:13	mm/s		5	10	1.67	0.38	0.12	0.19	1.53
w36-wwe-md2	29/03/2025 11:14	mm/s		5	10	6.16	1.79	0.38	3.74	2.32
				Monthly I	Meaningful D	ata				
Minimum	March	mm/s		5	10	0.04	0.05	0.02	0.07	0.03
Mean	March	mm/s		5	10	1.62	1.20	0.17	1.06	1.17
Maximum	March	mm/s		5	10	6.16	3.53	0.43	3.74	3.07
Median	March	mm/s		5	10	1.50	0.76	0.19	0.87	1.07

YANCOAL AUSTRALIA LTD
PAGE 14 OF 15




Figure 1: Mount Thorley Warkworth Environmental Monitoring Locations

YANCOAL AUSTRALIA LTD PAGE 15 OF 15