



Mount Thorley Warkworth EPL Monitoring Data

Published 22 May 2020 FOR THE MONTH ENDING 30 April 2020

Name of Operation	Mount Thorley Coal Loader
Environment Protection Licence	24
Licensee	Mount Thorley Coal Loading Ltd
	Mount Thorley Coal Loading Ltd
Premises	Mount Thorley Road, Mount Thorley
	Via Singleton NSW 2330 http://app.epa.nsw.gov.au/prpoeoapp/Vi
EPL Link	ewPOEOLicence.aspx?DOCID=89660&SYS
	UID=1&LICID=24
Name of Operation	Mount Thorley Operations
Environment Protection Licence	1976
Licensee	Mount Thorley Operations Pty Limited
	Mount Thorley Operations
Premises	Mount Thorley Road
	Mount Thorley NSW 2330
	https://apps.epa.nsw.gov.au/prpoeoapp/
EPL Link	ViewPOEOLicence.aspx?DOCID=161559&S
	YSUID=1&LICID=1976
Name of Operation	Warkworth Coal Mine
Environment Protection Licence	1376
Licensee	Warkworth Mining Ltd
	Warkworth Coal Mine
Premises	Putty Road
	Mount Thorley NSW 2330
	https://apps.epa.nsw.gov.au/prpoeoapp/
EPL Link	ViewPOEOLicence.aspx?DOCID=160262&S
	YSUID=1&LICID=1376

1 INTRODUCTION

This report provides a summary of environmental monitoring results for Mount Thorley Warkworth (MTW) in accordance with the requirements of the following Environment Protection Licences (EPL):

- EPL24 Mount Thorley Coal Loader (MTCL);
- EPL1376 Warkworth Mining Limited (WML); and
- EPL1976 Mount Thorley Operations (MTO).

This report includes all monitoring data collected in accordance with the above licences for the period 1 to 30 April 2020.

Monitoring in this report includes:

- Air quality monitoring;
- Surface water monitoring including mine water discharge and effluent quality; and
- Blast monitoring.

Monitoring locations are shown in **Figure 1**.

2 AIR QUALITY

In accordance with the requirements of Condition M2.2 of WML EPL 1376 and MTO EPL 1976, MTW maintains a network of five PM_{10} monitors.

Results of Particulates (PM_{10}) monitoring are shown in **Table 1**. Results reported represent the 24hr average PM_{10} , derived from 10 minute PM_{10} values for the period midnight to midnight, for each calendar date during the reporting period. The last sampling date was 30 April 2020 and the data was obtained on 1 May 2020.

YANCOAL AUSTRALIA LTD PAGE 2 OF 14

TABLE 1: PARTICULATE MATTER < 10 µM MONITORING

		Monitoring			Monitoring Point		
Date	Unit of Measure	Frequency & Capture	Warkworth North (EPA ID # 9 - WML EPL 1376)	MTO Boundary (EPA ID # 13 - MTO EPL 1976)	Dragline Crossing (EPA ID # 10 - WML EPL 1376 & MTO EPL 1976)	Heavy Vehicle Bridge (EPA ID # 11 - WML EPL 1376 & MTO EPL 1976)	MTIE (EPA ID # 12 - WML EPL 1376 & EPA ID #19 - MTO EPL 1976)
1/04/2020	μg/m³		15.4	11.1	14.8	15.8	12.0
2/04/2020	μg/m³	1	14.1	12.0	18.1	17.0	14.6
3/04/2020	μg/m³		7.7	8.9	16.1	13.7	10.3
4/04/2020	μg/m³		3.2	4.2	12.4	5.3	4.7
5/04/2020	μg/m³		3.6	6.1	17.1	7.5	6.3
6/04/2020	μg/m³]	4.2	5.6	12.2	8.6	4.8
7/04/2020	μg/m³		#	4.0	5.4	5.4	4.5
8/04/2020	μg/m³]	10.8	3.8	6.9	5.2	#
9/04/2020	μg/m³]	12.6	6.8	9.1	10.3	14.0
10/04/2020	μg/m³]	9.5	6.3	15.7	9.7	7.3
11/04/2020	μg/m³]	4.2	5.1	12.3	6.4	6.1
12/04/2020	μg/m³	Continuous	5.9	5.1	12.5	8.6	5.3
13/04/2020	μg/m³		11.8	10.3	24.9	17.6	13.0
14/04/2020	μg/m³		12.0	13.2	26.3	21.6	16.2
15/04/2020	μg/m³		10.1	11.6	29.2	21.3	17.4
16/04/2020	μg/m³		7.5	10.2	25.2	12.0	9.7
17/04/2020	μg/m³]	5.2	9.0	47.7	12.9	8.2
18/04/2020	μg/m³]	8.4	8.5	36.4	8.7	7.3
19/04/2020	μg/m³]	14.4	14.3	58.4	24.2	22.0
20/04/2020	μg/m³]	6.9	11.5	46.7	15.9	10.5
21/04/2020	μg/m³]	4.8	9.3	51.3	12.1	9.3
22/04/2020	μg/m³	1	5.7	9.5	44.2	15.2	10.2
23/04/2020	μg/m³	1	8.2	11.7	72.5	21.0	17.8

YANCOAL AUSTRALIA LTD
PAGE 3 OF 14

		Manitovina	Monitoring Point								
Date Unit of Measure	Monitoring Frequency & Capture	Warkworth North (EPA ID # 9 - WML EPL 1376)	MTO Boundary (EPA ID # 13 - MTO EPL 1976)	Dragline Crossing (EPA ID # 10 - WML EPL 1376 & MTO EPL 1976)	Heavy Vehicle Bridge (EPA ID # 11 - WML EPL 1376 & MTO EPL 1976)	MTIE (EPA ID # 12 - WML EPL 1376 & EPA ID #19 - MTO EPL 1976)					
24/04/2020	μg/m³		7.6	13.7	66.2	17.5	13.4				
25/04/2020	μg/m³		10.4	11.3	86.1	27.2	20.6				
26/04/2020	μg/m³		10.5	11.9	68.4	20.5	14.4				
27/04/2020	μg/m³		14.8	5.2	25.4	7.3	6.7				
28/04/2020	μg/m³		12.8	6.0	19.2	10.0	7.2				
29/04/2020	μg/m³		12.3	13.9	55.7	22.0	19.2				
30/04/2020	μg/m³		10.0	5.9	59.3	17.0	16.6				
			N	Nonthly Meaningful Data							
April	μg/m³	Minimum*	3.2	3.8	5.4	5.2	4.5				
April	μg/m³	Mean*	9.1	8.9	33.2	13.9	11.2				
April	μg/m³	Maximum*	15.4	14.3	86.1	27.2	22.0				
April	μg/m³	Median*	9.1	9.2	25.3	13.3	10.2				

^{# 24} hour data unavailable due to equipment or communications issue causing one or more missing 10 minute values

YANCOAL AUSTRALIA LTD

PAGE 4 OF 14

^{*}Data calculated with missing 10 minute value(s) due to equipment or communication issue MTIE denotes Mount Thorley Industrial Estate

3 SURFACE WATER

3.1 Mine Water Discharge Monitoring

MTW participates in the Hunter River Salinity Trading Scheme (HRSTS) and maintains two monitoring locations associated with this scheme.

MTW did not receive any discharge opportunities in the reporting period and no water was discharged as shown in **Table 2**. As such, no samples were collected during the reporting period as shown in **Table 3**.

TABLE 2: MINE WATER DISCHARGE MONITORING - VOLUME AND MASS LIMITS

Monitoring Location	Unit of measure	Volume/mass Limit	Volume/mass Discharged
Dam 1N Discharge / Point 1 (WML EPL 1376) Dam 1N Discharge Point	Megalitres per day	100	-
Dam 9S Discharge / EPL Point 4 (MTO EPL 1976) Discharge pipe from Dam 9	Megalitres per day	100	-

YANCOAL AUSTRALIA LTD
PAGE 5 OF 14

TABLE 3: MINE WATER DISCHARGE MONITORING- CONCENTRATION LIMITS

Discharge Point	Date	Pollutant	Unit of measure	Licence limits	No. of samples required by licence	No. of samples you collected and analysed
Dam 1N Discharge / Point 1 (WML EPL 1376) Dam 1N Discharge Point		Electrical Conductivity	microsiemens per centimetre	-	0	0
	N/A	pH	рН	6.5 - 9.0	0	0
		Total Suspended Solids	milligrams per litre	120	0	0
Dam 1N Discharge Turbidity Monitoring / Point 25 (WML EPL 1376) Continuous turbidity monitor	N/A	Turbidity	nephelometric turbidity units	-	0	0
Dam 9S Discharge / EPL Point 4		Electrical Conductivity	microsiemens per centimetre	-	0	0
(MTO EPL 1976) Discharge pipe from Dam 9	N/A	рН	рН	6.5 - 9.0	0	0
Discharge pipe Holli Dalli 9		Total Suspended Solids	milligrams per litre	120	0	0

3.2 Water Quality Monitoring

MTW undertakes monitoring in accordance with Condition M2.3 of WML EPL 1376 and MTO EPL 1976 as detailed in **Table 4**. Monthly sampling occurred at MTO on 20 April 2020 and the data was obtained 8 May 2020. Sampling is undertaken on a quarterly basis at WML (typically in March, June, September and December), and as such no sampling was required in April 2020.

YANCOAL AUSTRALIA LTD PAGE 6 OF 14

TABLE 4: WATER QUALITY MONITORING

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value
W5 – Loders Creek / EPL Point 3	Electrical Conductivity	microsiemens per centimetre	Once a month (min. of 4 weeks)	1	1	2350
(MTO EPL 1976) Coal preparation plant access road bridge	рН	pH units	Once a month (min. of 4 weeks)	1	1	7.8
	Total Suspended Solids	milligrams per litre	Once a month (min. of 4 weeks)	1	1	5
W1 – Hunter River / EPL Point 26	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
W2 – Hunter River / EPL Point 27	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
W3 – Hunter River / EPL Point 28	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
W5 – Loders Creek / EPL Point 29	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
WW5 – Dights Creek / EPL Point 30 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-

YANCOAL AUSTRALIA LTD
PAGE 7 OF 14

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value
	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
SW40 – Wollombi Brook Downstream / EPL Point 31	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
Wollombi Brook / EPL Point 32	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
Wollombi Brook Upstream / EPL Point 33	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-

YANCOAL AUSTRALIA LTD
PAGE 8 OF 14

3.3 Effluent Quality Monitoring

Monitoring is undertaken in accordance with Condition M2.3 of WML EPL 1376 and MTO EPL 1976 as detailed in **Table 5**. Sampling is undertaken on a quarterly basis and as such no sampling was conducted in April 2020.

TABLE 5: EFFLUENT QUALITY MONITORING

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value
North Pit North Crib Hut Envirocycle / EPL Point 14	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
Main Warkworth Staging Pond / EPL Point 15	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
Warkworth Admin Envirocycle / EPL Point 16	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
West Pit South Crib Hut Envirocycle / EPL Point 17	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
Warkworth Medical Centre Envirocycle / EPL Point 18	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
(WML EPL 1376)	рН	pH units	Once a quarter	0	0	-
Dam 1S / EPL Point 18	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	
(MTO EPL 1976)	рН	pH units	Once a quarter	0	0	-

^{# -} Sample unable to be collected due to insufficient water

YANCOAL AUSTRALIA LTD
PAGE 9 OF 14

4 BLAST MONITORING

In accordance with the requirements of Conditions M7.1 (WML EPL 1376) and M8.1 (MTO EPL 1976), MTW maintains a network of blast monitors to measure airblast overpressure and ground vibration for all blasts carried out at MTW. Blast monitoring results are detailed in **Table 6** (Airblast Overpressure) and **Table 7** (Ground Vibration). The last date sampled was on 29 April 2020. The data was obtained on 30 April 2020.

TABLE 6: BLAST MONITORING (AIRBLAST OVERPRESSURE)

				EPL L	imits	Monitoring Point					
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)	
w32-gmb-pr1 & w32- gmb-ps3	3/04/2020 13:09	dB(L)		115	120	102.4	102.9	104.3	107.9	101.1	
l53-gma-ps1	8/04/2020 12:36	dB(L)		115	120	94.7	92.5	91.1	97.4	93.0	
n39-gmc-pr1	9/04/2020 10:40	dB(L)		115	120	111.9	109.1	104.1	106.6	108.8	
n45-rcf-pr2	15/04/2020 12:36	dB(L)		115	120	98.6	98.9	93.9	101.3	96.1	
w29-wwe-ps8	16/04/2020 12:12	dB(L)	All Blasts 100%	115	120	101.0	104.2	107.4	105.7	105.1	
l53-gma-pr1	17/04/2020 12:02	dB(L)		115	120	100.4	102.1	104.5	104.1	100.3	
w29-wwe-md5	21/04/2020 11:17	dB(L)		115	120	100.3	95.8	101.1	96.4	97.5	
n39-gmc-ptg1	22/04/2020 11:47	dB(L)		115	120	96.6	91.5	93.8	99.0	91.2	
w32-gmb-pr2	23/04/2020 11:30	dB(L)		115	120	102.4	96.6	102.8	102.5	99.1	

YANCOAL AUSTRALIA LTD PAGE 10 OF 14

			Frequency	EPL Li	mits	Monitoring Point					
Blast ID	Date and Time	Unit of Measure		95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)	
n43-bla-ptg4	24/04/2020 11:41	dB(L)		115	120	96.0	93.0	101.6	103.9	102.7	
n39-gmc-pr2	24/04/2020 11:42	dB(L)		115	120	109.9	106.9	104.4	103.9	107.0	
n35-wwa-ptg3	29/04/2020 12:21	dB(L)		115	120	103.6	101.6	97.0	113.1	104.8	
w32-gmb-pr3	29/04/2020 12:24	dB(L)		115	120	102.2	98.9	100.9	106.0	101.1	
				Monthly	Meaningful I	Data					
Minimum	April	dB(L)		115	120	94.7	91.5	91.1	96.4	91.2	
Mean	April	dB(L)		115	120	101.5	99.5	100.5	103.7	100.6	
Maximum	April	dB(L)		115	120	111.9	109.1	107.4	113.1	108.8	
Median	April	dB(L)		115	120	101.0	98.9	101.6	103.9	101.1	

YANCOAL AUSTRALIA LTD
PAGE 11 OF 14

TABLE 7: BLAST MONITORING (GROUND VIBRATION)

				EPL L	imits			Monitoring Poin	it	
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
w32-gmb-pr1 & w32- gmb-ps3	3/04/2020 13:09	mm/s		5	10	0.60	0.71	0.12	0.79	0.49
l53-gma-ps1	8/04/2020 12:36	mm/s		5	10	0.61	0.44	0.21	0.18	0.20
n39-gmc-pr1	9/04/2020 10:40	mm/s		5	10	0.25	0.29	0.08	0.48	0.23
n45-rcf-pr2	15/04/2020 12:36	mm/s		5	10	0.26	0.52	0.08	0.95	0.24
w29-wwe-ps8	16/04/2020 12:12	mm/s		5	10	0.49	0.41	0.26	0.33	0.52
l53-gma-pr1	17/04/2020 12:02	mm/s		5	10	0.63	0.67	0.49	0.40	0.67
w29-wwe-md5	21/04/2020 11:17	mm/s	All Blasts 100%	5	10	1.90	0.79	0.51	1.13	0.97
n39-gmc-ptg1	22/04/2020 11:47	mm/s		5	10	0.15	0.09	0.05	0.16	0.07
w32-gmb-pr2	23/04/2020 11:30	mm/s		5	10	1.57	0.86	0.18	0.66	0.86
n43-bla-ptg4	24/04/2020 11:41	mm/s		5	10	0.07	0.10	0.04	0.72	0.04
n39-gmc-pr2	24/04/2020 11:42	mm/s		5	10	0.33	0.40	0.10	0.72	0.24
n35-wwa-ptg3	29/04/2020 12:21	mm/s		5	10	0.08	0.18	0.04	0.21	0.06
w32-gmb-pr3	29/04/2020 12:24	mm/s		5	10	0.89	0.54	0.12	0.42	0.62

YANCOAL AUSTRALIA LTD
PAGE 12 OF 14

	Date and Time			EPL Limits		Monitoring Point					
Blast ID		Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)	
				Monthly	/ Meaningful I	Data					
Minimum	April	mm/s		5	10	0.07	0.09	0.04	0.16	0.04	
Mean	April	mm/s		5	10	0.60	0.46	0.18	0.55	0.40	
Maximum	April	mm/s		5	10	1.90	0.86	0.51	1.13	0.97	
Median	April	mm/s		5	10	0.49	0.44	0.12	0.48	0.24	

YANCOAL AUSTRALIA LTD
PAGE 13 OF 14




Figure 1: Mount Thorley Warkworth Environmental Monitoring Locations

YANCOAL AUSTRALIA LTD PAGE 14 OF 14